

Bach Steel: Bridge Moving - Historic Truss Bridge Restoration - Custom Fabrication and Erection 4140 Keller Rd - Holt, Michigan 48842 Phone: 517-581-6243 Email: nels@bachsteel.com Website: www.bachsteel.com

Bach Ornamental and Structural Steel Inc (Bach Steel) is a company that that specializes in the restoration of historic wrought iron and early steel structures. Much of our work focuses on the disassembly/reassembly, restoration, and relocation of historic metal truss and plate girder bridges, as well as hot riveting in both the shop and field. Related to this work is extensive experience in pneumatic pack rust removal, heat straightening, and welding of historic metals including pad welding for section loss.

Bridge work places a high expectation on our company in terms of quality of our work and safety of the finished product for the public. Most of the bridges worked on are eligible for or listed in the National Register of Historic Places, and our work typically must therefore conform to the Secretary of Interior's Standards for Rehabilitation. Bach Steel also brings a thorough understanding of the transportation industry and its expectations to the table, with extensive experience working with various state transportation departments and many different prime contractors. Bach Steel is a DOT preapproved company for riveting and other specialty historic bridge restoration work in states that have special qualifications for this type of work including Michigan, Indiana, Pennsylvania, and Ohio, and also has performed riveting and other bridge restoration work in Texas, New Mexico, Colorado, Delaware, and Arkansas. Our experience also extends to the repair and rehabilitation of non-historic bridges including Interstate Highway and other major highway bridges.

Bach Steel also does general structural steel fabrication and erection, hand-forged (wrought) iron/steel, ornamental art/furniture, stairs and rails, manufacturing, miscellaneous structural metal work, welding and repair. Bach Steel was founded by owner Nels Raynor who has over 30 years of iron/steel fabrication and erection experience.

Contractor Experience (Past Project References)

Please find attached a list of projects that Bach Steel has worked on. As you will see, we have extensive experience in the repair of wrought iron and early steel.

Bridge Projects and Other Historic Structures: Project Portfolio

Project: Snuff Mill "Martin Road" Bridge

- Dates of work: 2015 2022 (Multiple Phases)
- This project involved the relocation and reuse of a historic 1885 Pratt through truss previously located in Shiawassee County, Michigan. The bridge was reused at Auburn Heights Preserve in Delaware as a pedestrian bridge. Unique aspects of this project included near-collapsed stone abutments in Michigan that put the bridge and workers at risk and thus required temporary shoring before the bridge could be removed. Removal was done with temporary steel falsework placed in the river, allowing for disassembly with smaller equipment (no crane pick), thus minimizing the footprint in this environmentally sensitive area. Restoration was complicated by issues with the 1885 rivets, most of which required replacement due to an unusual brittle iron. Bach Steel replaced all defective rivets in-kind with new rivets meeting ASTM A 502. Other major iron work included replacement of the original floorbeams, which were unfortunately badly deteriorated.
- Specialty Work: Disassembly/reassembly of truss bridge, repair of wrought iron, pack rust removal.
- Name of the specialty work supervisor(s) on the project: Nels Raynor and Derek Pung and Lee Pung.
- Bridge Owner: Delaware Division of Parks and Recreation.
- Cost of Work Performed By Bach Steel: \$206,740.00

Owner Contact:

Delaware Division of Parks and Recreation Planning Preservation and Development Section Matthew P. Chesser (302) 739-9235 Matthew.Chesser@state.de.us

Project: M-63 Blossomland Bridge, Berrien County, Michigan

- Dates of Work: 2020 June 2021
- Brief description of the work performed: Bach Steel's portion of this historic plate girder bascule bridge rehabilitation included misc. steel repairs including hot driven rivets for any repairs requiring replacement of rivets. Bach Steel also installed a new steel floor for the bridgetender house.
- Specialty Work: Hot Riveting.
- Name of the specialty work supervisor(s) on the project: Nels Raynor and Derek Pung and Lee Pung.
- Bridge Owner: Michigan Department of Transportation.
- Cost of Work Performed By Bach Steel: \$107,826.00





Owner Contact: Southwest Region Office 1501 Kilgore Rd. Kalamazoo, MI 49001 Phone: 269-337-3900 Media Representative Nick Schirripa 269-337-3927

Prime Contractor Contact: Milbocker & Sons Inc 1256 29th Street Allegan, MI 49010 269-673-2195 Scott A. Miller smilbocker@milbocker.com



Project: Iron Bridge Road Bridge (Pike County, Indiana: Bridge 150)

- Dates of Work: March 2020 March 2021
- Brief description of the work performed: This project involved the relocation and restoration of a historic 1875 cast and wrought iron bowstring bridge. The work included careful removal of modern, non-historic outriggers that had been added to stabilize the bridge for highway use. The new usage as a pedestrian bridge did not require these. The bridge was instead made usable by adding smaller vertical posts to the bridge to strengthen it.
- Specialty Work: Relocation of cast/wrought iron bridge; removal of non-original alterations.
- Name of the specialty work supervisor(s) on the project: Nels Raynor and Derek Pung and Lee Pung.
- Bridge Owner: Pike County Highway Department
- Cost of Work Performed By Bach Steel: \$305,625.00

Owner Contact: Pike County Highway Department 552 N St Rd 61 Petersburg, IN 47567 <u>roger@pikecounty.in.gov</u> (812) 354-9743

Prime Contractor Contact: Ragle Inc. 5266 Vann Rd. Newburgh IN, 47630 812 853-9558 Jennifer Bradshaw (812) 319-9944 jbradshaw@ragleinc.com





Project: I-96 over M-52 Bridges, Ingham County, Michigan

- Dates of Work: September 2020 March 2021
- Brief description of the work performed: Pack rust removal around pin plates on pin and hanger steel multibeam (stringer) bridge on pair of Interstate Highway bridges over state trunkline highway.
- Specialty Work: Pack rust removal, rivet replacement.

- Name of the specialty work supervisor(s) on the project: Nels Raynor and Derek Pung and Lee Pung.
- Bridge Owner: Michigan Department of Transportation.
- Cost of Work Performed By Bach Steel: \$124,000.00

Owner Contact: University Region 4701 W. Michigan Ave. Jackson, MI 49201 Phone: 517-750-0401 Fax: 517-750-4397 Aaron Jenkins 517-243-9075

Prime Contractor Contact: C.A. Hull Co., Inc. 8177 Goldie Road Walled Lake, MI 48390 810.217.0453 Mobile 248.694.8030 Direct Office (248) 363-3813 General Office jreed@cahull.com www.cahull.com



Project: M-55 Pine River Bridge, Manistee County, Michigan

- Dates of Work: February 2019-June 2020
- Brief description of the work performed: This project involved the repair of a 613 foot cantilevered deck truss highway bridge. Field work for Bach Steel included extensive pack rust removal. New members were also required for this historic bridge and had to be fabricated in the shop where Bach Steel conducted the required shop riveting for these built-up members.
- Specialty Work: Pack rust removal, shop riveting.
- Name of the specialty work supervisor(s) on the project: Nels Raynor and Derek Pung and Lee Pung.
- Bridge Owner: Michigan Department of Transportation.
- Cost of Work Performed By Bach Steel: \$318,067.00

Owner Contact: MDOT North Region 1088 M-32 East, Gaylord, MI 49735 Map Phone: 989-731-5090

Secondary MDOT Contact: Lloyd Baldwin Historian, Environmental Section E-Mail: baldwinl3@michigan.gov Phone: 517-241-2702

Prime Contractor Contact: C.A. Hull Co., Inc. 8177 Goldie Road Walled Lake, MI 48390



810.217.0453 Mobile 248.694.8030 Direct Office (248) 363-3813 General Office jreed@cahull.com www.cahull.com

Project: Brandewie "Zenas King" Bridge, Relocation to Sydney, Ohio

- Dates of Work: October 2019-September 2020
- Brief description of the work performed: Disassembly, full in-kind restoration, and relocation/reassembly of this abandoned bridge which had been damaged by floods. The bridge is a 68 foot cast and wrought iron bowstring pony truss highway bridge built ca. 1875. The bridge relocation is to a park for pedestrian use. Iron/Steel work: Bach Steel was responsible for repair of existing wrought iron, repair and replication of cast iron connection blocks, riveting of replacement/replicated sections, heat straightening of bent members. Bach Steel was also responsible for disassembly and reassembly of truss.



- Specialty Work: Disassembly/reassembly of truss bridge, repair of wrought iron, pack rust removal, heat straightening, riveting (removal and installation), and repair of cast iron.
- Name of the specialty work supervisor(s) on the project: Nels Raynor and Derek Pung and Lee Pung.
- Bridge Owner: City of Sidney, Ohio.
- Cost of Work Performed By Bach Steel: \$187,564.00

Owner Contact: Gary Clough Assistant City Manager/ Public Works Director City of Sidney, Ohio Phone: 937-498-8141 Email: <u>gclough@sidneyoh.com</u>

Prime Contractor Contact: Stephen S. Zachrich R.G. Zachrich Construction, Inc. 10105 Haller Street Defiance Ohio 43512 Phone: 419/782-7846 Fax: 419/782-1433 Cell: 419/576-0026 Stevejr@zachrichconstruction.com



Project: Watts Mill Bridge, Beaver County, Pennsylvania

- Dates of Work: March 2019-2022
- Brief description of the work performed: Disassembly, full inkind restoration, and reinstallation of this abandoned highway bridge which had been closed to traffic. The restored bridge will serve pedestrian traffic after reinstallation to the original location. The bridge is a 109 foot continuous wrought iron Pratt pony truss highway bridge built in 1878. Iron/Steel work: Bach Steel was responsible for repair of existing wrought iron, and riveting of replacement/replicated sections, and heat straightening of bent members. Bach Steel was also responsible for disassembly and reassembly of truss.
- Specialty Work: Disassembly/reassembly of truss bridge, repair of wrought iron, pack rust removal, heat straightening, riveting (removal and installation).
- Name of the specialty work supervisor(s) on the project: Nels Raynor and Derek Pung and Lee Pung.
- Bridge Owner: Beaver County, Pennsylvania.
- Cost of Work Performed By Bach Steel: \$187,564.00





Owner Contact: Tammy Frank, Director

Beaver County Liquid Fuels 469 Constitution Boulevard New Brighton, PA 15066 Phone: 724-770-4431 Fax: 724-728-3285 tfrank@beavercountypa.gov

Project: Farm Lane "Marsh Creek" Bridge

- Dates of work: January 2016-October 2020 (Multiple Phases)
- This project involved the relocation and reuse of a historic pony truss previously located in Adams County, Pennsylvania. The bridge was reused at Auburn Heights Preserve in Delaware as a vehicular bridge. To accommodate the required loading, the trusses were attached to steel stringers which help by carrying the heavier loads, while the trusses are carefully attached so as to retain their original appearance. Work included misc. repairs to the truss



- Specialty Work: Disassembly/reassembly of truss bridge, repair of wrought iron, pack rust removal.
- Name of the specialty work supervisor(s) on the project: Nels Raynor and Derek Pung and Lee Pung.
- Bridge Owner: Delaware Division of Parks and Recreation.
- Cost of Work Performed By Bach Steel: \$206,740.00

Owner Contact: Delaware Division of Parks and Recreation Planning Preservation and Development Section Matthew P. Chesser (302) 739-9235 Matthew.Chesser@state.de.us

Project: I-75 River Raisin Bridge

- Dates of Work: September 2019-September 2020
- Brief description of the work performed: Pack rust removal of plate girder bridge on Interstate Highway.
- Specialty Work: Pack rust removal.
- Name of the specialty work supervisor(s) on the project: Nels Raynor and Derek Pung and Lee Pung.
- Bridge Owner: Michigan Department of Transportation.
- Cost of Work Performed By Bach Steel: \$25,035.86

Owner Contact: Metro Region 18101 W. Nine Mile Rd., Southfield, MI 48075 Map Phone: 248-483-5100 Fax: 248-569-3103 Diane Cross, Communications Representative 248-483-5127 <u>CrossD2@Michigan.gov</u>

Prime Contractor Contact: C.A. Hull Co., Inc. 8177 Goldie Road Walled Lake, MI 48390 810.217.0453 Mobile 248.694.8030 Direct Office (248) 363-3813 General Office jreed@cahull.com www.cahull.com



Project: M-37 Muskegon River Bridge

- Dates of Work: September 2019-November 2019
- Brief description of the work performed: Pack rust removal and heat straightening at pin and hanger assemblies of plate girder bridge
- Specialty Work: Pack rust removal, heat straightening.
- Name of the specialty work supervisor(s) on the project: Nels Raynor and Derek Pung and Lee Pung.
- Bridge Owner: Michigan Department of Transportation.
- Cost of Work Performed By Bach Steel: \$45,000.00

Owner Contact: MDOT Grand Region 1420 Front Avenue, NW, Grand Rapids, MI 49504 Map Phone: 616-451-3091 Toll Free: 866-815-6368 Fax: 616-451-0707 John Richard, Communications Representative 616-451-4063 RichardJ2@Michigan.gov

Prime Contractor Contact: C.A. Hull Co., Inc. 8177 Goldie Road Walled Lake, MI 48390 810.217.0453 Mobile 248.694.8030 Direct Office (248) 363-3813 General Office jreed@cahull.com www.cahull.com



Project: Historic Truss Bridges, Canon City, Colorado

- Dates of Work: December 2019
- Brief description of the work performed: This project involved misc. repairs to three historic truss bridges. The bridges included 2 historic riveted Pratt deck truss bridges, a 90 foot bridge, and a 158 foot bridge, that cross ravines on Tunnel Drive, which is today a pedestrian trail. The bridges date to 1930. The third bridge repaired was the historic 4th Street Bridge over the Arkansas River which is a wrought iron pin-connected Pratt through truss that was built in 1891. The work included replication of a missing piece of ornamental portal cresting as well as misc. rivet replacement.
- Specialty Work: Repair of wrought iron, riveting (removal and installation).
- Name of the specialty work supervisor(s) on the project: Nels Raynor and Derek Pung and Lee Pung.
- Bridge Owner: Beaver County, Pennsylvania.
- Cost of Work Performed By Bach Steel: \$22,440.00





Owner Contact: Adam Lancaster Cañon City Engineer 128 Main Street Cañon City, CO 81212 Phone: 719-269-9011 Fax: 719-269-9017 2Astreets@canoncity.org

Prime Contractor Contact: Scott Salmon Construction Manager TMI Coatings, Inc. 3291 Terminal Drive St. Paul, MN 55121 P: (651) 452-6100 F: (651) 452-0598 ssalmon@tmicoatings.com



Project: Shelby County Bridge #13, Buck Creek, Relocation/Restoration To Blue River Park, Shelbyville, Indiana

- Dates of Work: September 2018 April 2019
- Brief description of the work performed: Disassembly, full in-kind restoration, and relocation/reassembly of this 95 foot wrought iron pin-connected Pratt truss highway bridge built in 1889 to a park for pedestrian use. Iron/Steel work: Bach Steel was responsible for repair of existing wrought iron, and riveting of replacement/replicated sections, and heat straightening of bent

members. The project had limited contingency funds available, so

Bach Steel worked with the project Engineer to develop in-kind repair procedures for unanticipated repairs that addressed the problems but also minimized the cost of the work. Bach Steel was also responsible for disassembly and reassembly of truss.

- Specialty Work: Disassembly/reassembly of truss bridge, repair of wrought iron, pack rust removal, heat straightening, riveting (removal and installation).
- Name of the specialty work supervisor(s) on the project: Nels Raynor and Derek Pung and Lee Pung.
- Bridge Owner: Shelby County, Indiana.
- Cost of Work Performed By Bach Steel: \$150,352.00

Owner Contact: Shelby County Courthouse Annex 25 W. Polk St. Room 206 Shelbyville, IN 46176 Phone: 317.392.6330





Prime Contractor Contact: Earl Settles Estimator/Project Manager HIS Constructors, Inc. 5150 E. 65th Street, Suite B, Indianapolis, IN 46220 earl.settles@hisconstructors.com 317-284-1195 office 317-883-0739 mobile Engineer: USI Consultants

Project: Dix Toledo Road over Allen Road and Pennsylvania Road, Wayne County, Michigan

- Dates of Work: September-October 2018
- Brief description of the work performed: Removal of pack rust from a mid 20th century steel highway overpass girder bridge. Work included pneumatic hammer removal of pack rust and closing the gap between plates.
- Specialty Work: Pack rust removal.
- Name of the specialty work supervisor(s) on the project: Nels Raynor, Derek Pung and Lee Pung.
- Bridge Owner: Wayne County, Michigan.
- Cost of Work Performed By Bach Steel: \$83,833.20
- Original Prime Contract Amount: \$3,591,083.61
- Final Prime Contract Amount: \$6,579,508.92

Owner Contact: Wayne County Roads Division 29900 Goddard Rd, Detroit, MI 48242 Phone: (734) 955-9920

Prime Contractor Contact: C.A. Hull Co., Inc. 8177 Goldie Road Walled Lake, MI 48390 810.217.0453 Mobile 248.694.8030 Direct Office (248) 363-3813 General Office jreed@cahull.com www.cahull.com



Project: Amtrak Railroad Bridge over St. Joseph River, Niles Michigan

- Dates of Work: December 2017.
- Brief description of the work performed: Misc. Installation of rivets on a historic 640 foot long Baltimore truss railroad bridge built in 1899, serving an active Amtrak railroad line. Work had to be completed in a manner so as not to disrupt traffic on the active railroad bridge.
- Specialty Work: Riveting.
- Name of the specialty work supervisor(s) on the project: Nels Raynor, Derek Pung and Lee Pung.
- Bridge Owner: Amtrak
- Cost of Work Performed By Bach Steel: \$13,250.00



Owner Contact: National Railroad Passenger Corporation AMTRAK 500 W. Jackson Blvd. Chicago, IL 60661

Prime Contractor Contact: Russ Benning Project Manager 630-277-6243 russbenning@icceo.com Illinois Constructors Corporation 39W866 Fabyan Pkwy Elburn, IL 60119

Project: McIntyre (Paper Mill) Bridge

- Dates of work: January 2016 July 2018
- This unique project involved the complete restoration of a rare 120 foot historic cast and wrought iron bowstring truss bridge built in 1883 that collapsed into a river in Iowa and was severely damaged. The bridge was restored by Bach Steel and installed on a trail at Auburn Heights Preserve in Delaware. Work included extensive heat straightening and spliced repairs of the top chord arch, and complete replication (with slight enlargement for strength) of the riveted vertical members, as well as additional rep



strength) of the riveted vertical members, as well as additional repairs and replications throughout. Work included repair and replication of cast iron connection blocks and cast iron bearing shoes.

- Specialty Work: Disassembly/reassembly of truss bridge, repair of wrought iron, pack rust removal, heat straightening, riveting (removal and installation), replication and repair of cast iron.
- Name of the specialty work supervisor(s) on the project: Nels Raynor and Derek Pung and Lee Pung.
- Bridge Owner: Delaware Division of Parks and Recreation.
- Cost of Work Performed By Bach Steel: \$231,656.00

Owner Contact:

Delaware Division of Parks and Recreation Planning Preservation and Development Section Matthew P. Chesser (302) 739-9235 Matthew.Chesser@state.de.us



Project: Repairs to Historic NM-395 Lincoln County Bridge, New Mexico

- Dates of work: October 2017
- Brief description of the work performed: Heat straightening of vertical members, portal bracing, and sway bracing of historic riveted through truss damaged by over-height truck. The bridge was built in 1927 and consists of a 140 foot span. Bach Steel completed shop riveting of replica lower sway and portal bracing beams. This was followed by field riveting of the replica beams in place onto the bridge, with heat straightening also being completed to correct members to remain in place. This project was completed (including painting work by the Prime Contractor) in the 30 day period as required by contract.
- Specialty Work: Heat straightening, riveting (installation).
- Name of the specialty work supervisor(s) on the project: Nels Raynor and Derek Pung and Lee Pung.
- Bridge Owner: New Mexico Department of Transportation.
- Cost of Work Performed By Bach Steel: \$134,875.00

Owner Contact: New Mexico Department of Transportation 120 Cerrillos Road, Santa Fe, NM, 87504-1149 (505) 827-5100

Prime Contractor Contact: TMI Coatings, Inc. Arizona Branch Benjamin Nicholson bnicholson@tmicoatings.com P: (651) 452-6100 C: (952) 405-0743

Project: Relocation and Restoration of Historic Springfield Bridge, Conway, Arkansas

- Dates of work: November 2016 August 2017
- Brief description of the work performed: This project included the removal of this abandoned (and leaning) 1874 cast and wrought iron bowstring bridge measuring 146 feet, which required removal of remaining timber deck, and installation of temporary bracing to prepare for its removal with cranes (cranes by others). This was followed by the nondestructive disassembly of the bridge (with matchmarking of parts), and in-kind restoration



of the bridge, including heat straightening of lower chord eyebars, vertical member rods, sway bracing tubes, and diagonal member rods. Bach Steel also fabricated simulation riveted caissons and installed these along with the load-bearing concrete substructure (also by Bach). This to be followed by reassembly and installation at the new park location. This project also involved fabrication and installation of replica riveted railing by Bach, as well as deck installation by Bach. Missing and broken cast iron components including connection blocks and bearing shoes had to be repaired or replicated.



- Specialty Work: Disassembly/reassembly of truss bridge, repair of wrought iron, pack rust removal, heat straightening, riveting (removal and installation), and cast iron repair.
- Name of the specialty work supervisor(s) on the project: Nels Raynor and Derek Pung and Lee Pung.
- Bridge Owner: City of Conway, Arkansas
- Cost of Work Performed By Bach Steel: \$291,460.00

Owner Contact: Jack Bell, Chief of Staff Conway City Hall 1201 Oak Street Conway, AR 72032 Phone: (501) 450-6100 jack.bell@cityofconway.org



Project: Repairs to Historic US-23 Bascule Plate Girder Bridge, Cheboygan, Michigan

- Dates of work: November 2016 February 2017
- Brief description of the work performed: Bach Steel completed shop riveting of replica sidewalk cantilever brackets. This to be followed by field riveting of the replica brackets in place onto the existing bridge girders. This project also involves field riveting on the approach spans, which is a particularly challenging aspect of this project due to the limited space for personnel and equipment in areas being repaired.
- Specialty Work: Riveting (removal and installation).
- Name of the specialty work supervisor(s) on the project: Nels Raynor and Derek Pung and Lee Pung.
- Bridge Owner: Michigan Department of Transportation.
- Cost of Work Performed By Bach Steel: \$96,480.65
- Original Prime Contract Amount: \$1,658,344.31
- Final Prime Contract Amount: \$1,767,562.16



Owner Contact: Benjamin J. Gowell, P.E. Construction Engineer Michigan Department of Transportation – Gaylord TSC GowellB@michigan.gov (989) 731-5090

Secondary MDOT Contact: Lloyd Baldwin Historian, Environmental Section E-Mail: baldwinl3@michigan.gov Phone: 517-241-2702

Prime Contractor Contact: Anlaan Corporation P.O. Box 599 Grand Haven, MI 49417 Phone: 616.846.8442 ext. 134 Derrick Arens derrickarens@anlaan.com www.anlaan.com



Project: Repairs to Historic US-31 Bascule Plate Girder Bridge, Charlevoix, Michigan

- Dates of work: January 20 30 2017
- Brief description of the work performed: This project involved rehabilitation of approach spans and sidewalks of a historic riveted steel bascule bridge. This project involved field riveting and in-kind restoration by Bach as part of a repair project to take place during the winter when the operable bascule bridge does not operate for boats. Bach is responsible for field removal of existing rivets and installation of new rivets as part of floorbeam repairs, and as part of a replacement of the machinery room enclosure.
- Specialty Work: Riveting (removal and installation).
- Name of the specialty work supervisor(s) on the project: Nels Raynor and Derek Pung and Lee Pung.
- Bridge Owner: Michigan Department of Transportation.
- Cost of Work Performed By Bach Steel: \$44,091.00
- Original Prime Contract Amount: \$1,936,179.73
- Final Prime Contract Amount: \$1,968,820.43

Owner Contact: Benjamin J. Gowell, P.E. Construction Engineer Michigan Department of Transportation – Gaylord TSC GowellB@michigan.gov (989) 731-5090

Secondary MDOT Contact: Lloyd Baldwin Historian, Environmental Section E-Mail: baldwinl3@michigan.gov Phone: 517-241-2702

Prime Contractor Contact: Anlaan Corporation P.O. Box 599 Grand Haven, MI 49417 Phone: 616.846.8442 ext. 134 Derrick Arens derrickarens@anlaan.com www.anlaan.com



Project: SR-1029 Over Tunkhannock Creek Bridge Restoration and Relocation, Wyoming County, Pennsylvania

- Dates of Work: November 2015 April 2018
- Brief description of the work performed: Full in-kind restoration of this rare design lenticular metal truss bridge and relocation to park for pedestrian use. Steel work: Bach Steel was responsible for repair of existing steel (including pack rust removal), and riveting of replacement/replicated sections including replicating new riveted bottom edge bracing and vertical end posts. Bach Steel also responsible for disassembly and reassembly of truss. Missing cast iron end post caps, plaques, and pin caps also required replication.
- Specialty Work: Repair and welding of wrought iron, pack rust removal, riveting (removal and installation), cast iron repair and replication.
- Name of the specialty work supervisor(s) on the project: Nels Raynor and Derek Pung and Lee Pung
- Bridge Owner: Pennsylvania Department of Transportation
- <u>http://bachsteel.com/project-gallery/project-gallery-historic-bridge-restoration-pierceville-bridge/</u>
- Cost of Work Performed By Bach Steel: \$316,114.00

Owner Contact: Ryan Vitaletti Project Engineer/Inspector rvitaletti@pa.gov PennDOT District 4-0 55 Keystone Industrial Park Dunmore PA 18512 Main Number: 570-963-4061

Secondary PennDOT/Owner Contacts: Kara H. Russell | Historic Preservation Supervisor PA Department of Transportation Bureau of Project Delivery Highway Delivery Division Environmental Policy and Development Section P.O. Box 3790 | Harrisburg, PA 17105-3790



Phone: 717.705.1484 | Fax: 717.772.0834 krussell@pa.gov www.dot.state.pa.us

Kris Thompson Cultural Resources Specialist PA Department of Transportation | Bureau of Project Delivery 1002 Hamilton Street | Allentown, PA 18101 Phone: 610.871.4459 | FAX: 610.871.4122 krthompson@pa.gov

Project Consulting Engineer Contact: Brandon J. Newpher E.I. Structural Designer McCormick Taylor office 412-922-68880 cell 814-558-8284 bjnewpher@mccormicktaylor.com

Project: M-86 Bridge Relocation and Restoration, St. Joseph and Cass Counties

- Dates of Work: August 2016 August 2018 (Completed In 2 Phases)
- Brief description of the work performed: Bach Steel was responsible for the match-marking and non-destructive
 disassembly of this two lane rivet-connected pony truss bridge of heavy construction. Bach is then responsible
 for completing in-kind restoration/repair (including hot riveting and pack rust removal) to the existing steel
 members, followed by reassembly of the bridge at its new location on a county road in Cass County.
- Project Award: American Public Works Association Michigan Chapter, 2020 Project of the Year in Category: Historic Preservation \$1-\$5 Million
- Specialty Work: Pack rust removal, heat straightening, riveting.
- Name of the specialty work supervisor(s) on the project: Nels Raynor and Derek Pung and Lee Pung.
- Cost of Work Performed By Bach Steel: \$305,156.00
- Original Prime Contract Amount: \$4,944,120.71
- Final Prime Contract Amount: \$6,152,223.29
- Bridge Owner: Michigan Department of Transportation and Cass County Road Commission.
- Additional Photos: https://historicbridges.org/bridges/browser/?bridgebrowser=michigan/crystalsprings/

Owner Contact: Lloyd Baldwin Historian, Environmental Section Michigan Department of Transportation E-Mail: baldwinl3@michigan.gov Phone: 517-241-2702

Prime Contractor Contact: Todd M. Schrader President Hardman Construction todd@hardmanconstruction.com 242 South Brye Road Ludington, MI 49431-9362 Phone: (231) 845-1236

Engineer: OHM Advisors https://www.ohm-advisors.com/



Project: M-14 Huron River Plate Girder Bridge Repairs, Ann Arbor, Michigan

- Dates of Work: July 2016 October 2016
- Brief description of the work performed: This project involved removal of pack rust and straightening of affected steel on this bridge which has fracture critical details and remained open to traffic during the pack rust removal process. The repair areas were primarily the bottom flanges of the plate girders. Doing this work properly involves careful heating of the steel with close monitoring of the temperature of the steel throughout the heating process to insure the integrity of the steel is not compromised. Working with MDOT, Bach Steel developed a procedure to ensure this work could safely be performed with the bridge open to traffic.
- Specialty Work: Pack rust removal.
- Name of the specialty work supervisor(s) on the project: Derek Pung and Lee Pung.
- Bridge Owner: Michigan Department of Transportation.
- <u>http://bachsteel.com/projects/m14huronriver.pdf</u>
- Cost of Work Performed By Bach Steel: \$289,422.00
- Original Prime Contract Amount: \$9,911,332.70
- Final Prime Contract Amount: \$11,491,076.73

Owner Contact: Biniam K. Aregawi MDOT-Design Division, Bridge Section Van Wagoner Building 425 West Ottawa Street PO Box 30050 Lansing, Michigan 48909 517.373.0628

Prime Contractor Contact: C.A. Hull Co., Inc. 8177 Goldie Road Walled Lake, MI 48390 810.217.0453 Mobile 248.694.8030 Direct Office (248) 363-3813 General Office jreed@cahull.com www.cahull.com



Project: Rehabilitation of Historic M-72 Ausable River Bridge, Grayling, Michigan

- Dates of work: March 2016 May 2016
- Brief description of the work performed: In-kind restoration of a historic riveted steel bridge. Bach Steel completed shop riveting of replica sidewalk cantilever brackets. This was followed by field riveting of the replica brackets in place on the bridge. Repair of existing steel included removal and replacement of selected abutment rivets, as well as minor pack rust removal.
- Specialty Work: Pack rust removal, riveting (removal and installation).
- Name of the specialty work supervisor(s) on the project: Nels Raynor and Derek Pung and Lee Pung.
- Bridge Owner: Michigan Department of Transportation
- •
- Cost of Work Performed By Bach Steel: \$45,200.00
- Original Prime Contract Amount: \$1,783,824.80
- Final Prime Contract Amount: \$1,960,921.86

Owner Contact: Benjamin J. Gowell, P.E. Construction Engineer Michigan Department of Transportation – Gaylord TSC GowellB@michigan.gov (989) 731-5090

Secondary MDOT Contact: Lloyd Baldwin Historian, Environmental Section E-Mail: baldwinl3@michigan.gov Phone: 517-241-2702

Prime Contractor Contact: Anlaan Corporation P.O. Box 599 Grand Haven, MI 49417 Phone: 616.846.8442 ext. 134 Derrick Arens derrickarens@anlaan.com www.anlaan.com



Project: Restoration of the St. Joseph Lights, St. Joseph, Michigan

- Dates of work: August 2015 March 2016
- Brief description of the work performed: In-kind restoration of the historic 1906 lighthouse complex, which consists of the main lighthouse, a range light, and over 1,700 feet of riveted catwalk. All work for this National Register lighthouse had to be in keeping with the Secretary of Interior's Standards For Rehabilitation. Bach Steel's scope of work included pack rust removal and replication of partial sections of elevated catwalk for St. Joseph Lighthouses. Hot riveting used throughout project both in the shop and in the field. Heat straightening as needed to correct damaged steel, particularly on the riveted steel legs supporting the elevated catwalks where impact damage existed. Work included replication of riveted steel doors for lighthouses and miscellaneous repair and replication work for lighthouses. Work also included misc. repairs to the steel lighthouse buildings.
- Project Award: 2016 Governor's Award for Historic Preservation
- Specialty Work: Heat straightening, pack rust removal, riveting (removal and installation).
- Name of the specialty work supervisor(s) on the project: Nels Raynor (shop) and Derek Pung and Lee Pung (field).
- Bridge Owner: City of St. Joseph, Michigan
- <u>http://bachsteel.com/project-gallery/project-gallery-historic-lighthouse-restoration-st-joseph-lights-and-catwalk/</u>
- Cost of Work Performed By Bach Steel: \$296,398.00

Owner Contact: City of St. Joseph City Clerk/Finance Director: Sara McCallum Address: 700 Broad Street Phone: (269) 983-6325

Prime Contractor Contact: Bob Ziman Project Manager Mihm Enterprises, Inc. Office: 269-751-5522 info@mihmenterprises.com





Project: CR-125 (Providence Road) over Little Brazos River, Robertson County, Texas

- Dates of work: 2012-2014
- Brief description of the work performed: Full in-kind repair and restoration of this historic metal truss bridge for continued vehicular use. Dating to the early 20th century, this pin-connected Pratt through truss features a main span of 150 feet. Steel work: Bach Steel was responsible for repair of existing steel including heat straightening including repair of moderate impact damage to a vertical member of the truss, riveting of replacement/replicated sections including base of end posts.
- Specialty Work: Disassembly/reassembly of truss bridge, repair of wrought iron, pack rust removal, heat straightening, riveting (removal and installation).
- Name of the specialty work supervisor(s) on the project: Nels Raynor
- Bridge Owner: Robertson County, Texas, Texas Department of Transportation Oversight.
- <u>http://bachsteel.com/project-gallery/project-gallery-historic-bridge-restoration-providence-road-bridge/</u>
- Cost of Work Performed By Bach Steel: \$125,000.00

Owner Contact: Robertson County Texas Judge Charles L. Ellison P. O. Box 427 Franklin, TX 77856 Phone: 979--828-3542 (CONTRACT THROUGH TXDOT): 125 East 11th St. Austin, TX 78701 (512) 463-8588

Prime Contractor Contact: Scott Miller Vice President Davis Construction, Inc. 5236 Dumond Court Suite A Lansing, MI 48917 (517) 322-3800 - Office (517) 712-1160 – Cell Scott@davisconstruction.us http://www.davisconstruction.us/company_directory.htm



Project: CR-120 (Wildcat Bridge Road) over Little Brazos River, Robertson County, Texas

- Dates of work: 2012-2014
- Brief description of the work performed: Full in-kind repair and restoration of this historic metal truss bridge for continued vehicular use. Dating to 1920, this pin-connected Pratt through truss features a main span of 150 feet. Steel work: Bach Steel was responsible for repair of existing steel, including heat straightening of truss members and bracing as needed, riveting of replacement/replicated sections including base of end posts.
- Specialty Work: Disassembly/reassembly of truss bridge, repair of wrought iron, pack rust removal, heat straightening, riveting (removal and installation).
- Name of the specialty work supervisor(s) on the project: Nels Raynor
- Bridge Owner: Robertson County, Texas, Texas Department of Transportation Oversight.
- <u>http://bachsteel.com/project-gallery/project-gallery-historic-bridge-restoration-wildcat-bridge/</u>
- Cost of Work Performed By Bach Steel: \$175,000.00

Owner Contact: Robertson County Texas Judge Charles L. Ellison P. O. Box 427 Franklin, TX 77856 Phone: 979--828-3542 (CONTRACT THROUGH TXDOT): 125 East 11th St. Austin, TX 78701 (512) 463-8588

Prime Contractor Contact: Scott Miller Vice President Davis Construction, Inc. 5236 Dumond Court Suite A Lansing, MI 48917 (517) 322-3800 - Office (517) 712-1160 - Cell Scott@davisconstruction.us http://www.davisconstruction.us/company_directory.htm



Bunker Mill Bridge, Kalona, Iowa

- Dates of work: 2013-2015
- Brief description of the work performed: Repair and in-kind restoration of this historic wrought iron truss bridge for pedestrian use. The pin-connected Pratt through truss with its 118 foot span was built in 1887. Work included heat straightening as needed, pack rust removal as needed, and a new steel deck stringer flooring system for the bridge.
- Specialty Work: Disassembly/reassembly of truss bridge, repair of wrought iron, pack rust removal, heat straightening, riveting (removal and installation).



- Name of the specialty work supervisor(s) on the project: Nels Raynor
- Bridge Owner: Julie Bowers, Workin' Bridges (North Skunk River Greenbelt Association)

Project: BR 1102(020) CR Piano Bridge Road, Fayette County, Yoakum District, Texas

- Year the work was completed: 2012
- Brief description of the work performed: Full in-kind repair and restoration of this historic wrought iron truss bridge for continued vehicular use. The 80 foot pin-connected Pratt through truss span was built in 1885. Bach Steel was responsible for repair of existing steel, including heat straightening, hot riveting as needed for fasteners, pack rust removal as needed. Heat straightening work included the heavily impact-damaged portal bracing, bent bottom chord eyebars (a fracture critical member), and impact damaged lattice railing.
- Specialty Work: Disassembly/reassembly of truss bridge, repair of wrought iron, pack rust removal, heat straightening, riveting (removal and installation).
- Name of the specialty work supervisor(s) on the project: Nels Raynor
- Bridge Owner: Fayette County, Texas, Texas Department of Transportation Oversight.
- http://bachsteel.com/project-gallery/project-gallery-historic-bridge-restoration-piano-bridge/
- Cost of Work Performed By Bach Steel: \$185,000.00

Owner Contact: Fayette County Judge Ed Janecka 151 North Washington St., Room 301 La Grange, TX 78945 Office Phone: (979) 968-6469 E-mail: ed.janecka@co.fayette.tx.us (CONTRACT THROUGH TXDOT): 125 East 11th St. Austin, TX 78701 (512) 463-8588



Prime Contractor Contact: Scott Miller Vice President Davis Construction, Inc. 5236 Dumond Court Suite A Lansing, MI 48917 (517) 322-3800 - Office (517) 712-1160 – Cell Scott@davisconstruction.us http://www.davisconstruction.us/company_directory.htm

Project: State Street over Cass River

- Year the work was completed: 2010
- Brief description of the work performed: Extensive restoration of trusses in a shop setting. Trusses disassembled and restored in a shop setting. Some of the more noteworthy work requiring riveting was installation of new cover plate to existing top chord and end posts using riveting, and splicing replicated (riveted) pin plates for vertical members. The bridge was built in 1906 and consists of two 124 foot pinconnected Pratt through truss spans and an overall length of 331 feet.



- Specialty Work: Disassembly/reassembly of truss bridge, repair of wrought iron (eyebars), pack rust removal, heat straightening, riveting (removal and installation).
- Name of the specialty work supervisor(s) on the project: Nels Raynor
- Bridge Owner: Bridgeport Township in Saginaw County. Michigan Department of Transportation Oversight.
- <u>http://bachsteel.com/project-gallery/project-gallery-historic-bridge-restoration-bridgeport-bridge/</u>
- Cost of Work Performed By Bach Steel: \$265,000.00

Owner Contact: BRIDGEPORT CHARTER TOWNSHIP 6206 Dixie Hwy. Bridgeport, MI 48722 989-777-0940 (CONTRACT THROUGH MDOT): Michigan Department of Transportation State Transportation Building 425 W. Ottawa St. P.O. Box 30050 Lansing, MI 48909 517-373-2090

Prime Contractor Contact: Scott Miller Vice President Davis Construction, Inc. 5236 Dumond Court Suite A Lansing, MI 48917 (517) 322-3800 - Office (517) 712-1160 – Cell Scott@davisconstruction.us http://www.davisconstruction.us/company_directory.htm

Project: Sterling Road Bridge, Morenci, Michigan

- Year the work was completed: 2004
- Brief description of the work performed: Complete restoration of the truss parts for this wrought iron bridge which was relocated to Morenci, Michigan for pedestrian use. The 80 foot pin-connected Pratt through truss was built in 1897. The extensive deterioration on the bridge required hot metal riveting, and replication of deteriorated sections of truss members, and welding plate to address areas of section loss. Eyebars with section

loss were pad welded to repair them. Bach also did selected repairs to the existing floor beams and installed new rivets where needed.

- Specialty Work: Disassembly/reassembly of truss bridge, repair/welding of wrought iron, pack rust removal, heat straightening, riveting (removal and installation).
- Name of the specialty work supervisor(s) on the project: Nels Raynor
- Bridge Owner: Michigan Department of Transportation Oversight for City of Morenci.
- <u>http://bachsteel.com/project-gallery/project-gallery-historic-bridge-restoration-sterling-road-bridge/</u>



Kent Street Bridge in Portland, Michigan

- Year the work was completed: 2004
- Brief description of the work performed: Restored, reassembled, and reinstalled this large 220 foot through truss span in a new location over the Grand River for pedestrian use on Portland's trail system. The bridge is 219 feet in length and was built in 1907. Due to the size of the bridge and restrictions on the type of work that could be performed in the water, a special tramway system was designed to erect and deploy the bridge over the river in sections.
- Specialty Work: Disassembly/reassembly of truss bridge, pack rust removal, heat straightening, riveting (removal and installation).
- Name of the specialty work supervisor(s) on the project: Nels Raynor
- Bridge Owner: City of Portland
- <u>http://bachsteel.com/project-gallery/project-gallery-historic-bridge-restoration-kent-street-bridge/</u>



Information and details on additional projects available upon request, or at our website www.bachsteel.com

Bach Steel General Project References

We also encourage you to contact Bach Steel's references below to discuss relevant projects and experience our firm has working with historic metal bridges. Our references are as follows:

Brion Klopf, Michigan Department of Transportation (Reference For Michigan Projects) Bridge Operations / Steel Fabrication Specialist (517) 204-6701 klopfb@michigan.gov

Vern Mesler (Reference for Michigan Projects) VJM Metal Craftsman, Former Project Manager for Historic Bridge Park, Calhoun County, MI <u>www.historicbridgerestoration.com</u> Phone: 517-614-9868 Email: <u>meslerv@gmail.com</u>

Jim Reed (Reference for Michigan Projects) CA Hull Phone: 810.217.0453 Mobile Office Phone: 248.694.8030 Email: <u>jreed@cahull.com</u>

Scott Miller, Vice President, Davis Construction (Reference for Michigan and Texas Projects) Phone: (517) 322-3800 Ext. 18 Mobile: (517) 712-1160 <u>scott@davisconstruction.us</u> <u>http://www.davisconstruction.us/</u>

Letter of Recommendation

Dec 7, 2010 Subject: Letter of Recommendation

To whom it may concern:

I have worked with Nels Raynor on numerous Michigan Department of Transportation projects. He has shown that he has an excellent working knowledge of structural steel, particularly in the preservation of historic bridges. He has disassembled, repaired, and reassembled multiple historic bridges for the Department of Transportation with a superb quality of workmanship which is hard to find. He is a craftsman in the sense of having the ability to restore antique components with modern equipment meeting today's standards and specifications. He has an unlimited all position

welding qualification with the Michigan Department of Transportation and has shown an expertise in all the tools required for this type of construction including torch and saw cutting, rivet removal and installation, and repair of section loss. He has my recommendation for any type of structural steel work which you may require. If you have any questions feel free to contact me at the number listed below or by E-mail at: klopfb@michigan.gov My working title is "Steel Fabrication Specialist".

Thank you; Brion Klopf Bridge Operations (517) 204-6701

Contact Information

Nels Raynor, Owner and President

Address:

Bach Ornamental and Structural Steel Inc. 508 North Mead Street St. Johns, MI, 48879-1328

Phone: 517-581-6243

Email: <u>nels@bachsteel.com</u> Website: <u>www.bachsteel.com</u> Facebook: <u>www.facebook.com/bachsteel</u>